



Configuration Files Used in IHS AccuMap

For IHS Applications

IHS AccuMap®

June, 2009



Configuration Files Used in IHS AccuMap IHS Inc.

The purpose of this document is to outline the configuration files used by AccuMap.

1.0 - General Information

AccuMap will recreate any of these files if they are found missing. It has built-in defaults to make these files.

2.0 - Files Used

map.cfg

This file stores the current map settings, like what layers are turned on and what colors they are. All new maps are opened with the settings from this file.

defmap.cfg

This file contains the default map settings. You can load these settings from the Map Features dialog by clicking the defaults button. You can also write new defaults to this file by clicking the save to defaults button. Map settings are not directly affected by this file, as it reads directly from the map.cfg, but by reloading it, map.cfg will effectively become the same as defmap.cfg

defaults.cfg

This file saves the details of anything editable under the Edit->Defaults menu.

accumap.ini

This file has various configuration settings. Often, deleting this file and restarting AccuMap will fix many problems, particularly printing errors.

defnmod.cfg

This file is used to restrict access to available licenses and is modified when you go into Tools/Usage Information or by hand editing.

dstglobal.ini

This file is used to set the access to DST images. There is a copy on the server in the following folders, and both should be changed if they need to be modified.
X:\AccuMap\chd\program\nt and X:\AccuMap\chd\program\95

**pwbstats.cfg**

This file contains the production data templates for the Comprehensive Production GRAPH option. All templates are saved to this one file, which is located in the 'Start-In' folder as set in the AccuMap desktop icon (properties). It can be accessed from any other data folder.

dataprd.cfg

This file contains the production data templates for the Comprehensive Production DATA option. Settings are saved to this file, which is located in the 'Start-In' folder as set in the AccuMap desktop icon (properties). It can be accessed from any other data folder.